Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	791	unauthoriz$5 same (identif$4 specif$4) adj3 (system node terminal machine device unit station element component) and @ad<"20011221"	US-PGPUB; USPAT	OR	ON	2005/12/07 14:30
L2	35	unauthoriz$5 same (identif$4 specif$4) adj3 (system node terminal machine device unit station element component).ab. and @ad<"20011221"	US-PGPUB; USPAT	OR	ON	2005/12/07 14:31
L3	4	unauthoriz$5 same (identif$4 specif$4) adj3 (system node terminal machine device unit station element component).ab. and @ad<"20011221" and password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:43
L4	92	unauthoriz$5 same (identif$4 specif$4) adj3 (system node terminal machine device unit station element component)and @ad<"20011221" and password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:43
L5	59	unauthoriz$5 same (identif$4 specif$4) adj3 (system node terminal machine device unit station element component)and @ad<"20011221" and (software tool program application script code instructions) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:45
L6	100	unauthoriz$5 same (identif$4 specif$4 id name aspect) adj3 (system node terminal machine device unit station element component) and @ad<"20011221" and (software tool program application script code instructions) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:46
L7	16	unauthoriz$5 same (identif$4 specif$4 id name aspect) adj3 (system node terminal machine device unit station element component) and @ad<"20011221" and (software tool program application script code instructions) with (mathematic$4 calculat$3 compute computing) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:48

L8	19	unauthoriz$5 same (identif$4 specif$4 id name aspect) adj3 (system node terminal machine device unit station element component) and (@ad<"20011221" @rlad<"20011221") and (software tool program application script code instructions) with (mathematic$4 calculat$3 compute computing) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:49
L9	20	unauthoriz$5 same (identif$4 specif$4 id name aspect) adj3 (system node terminal machine device unit station element component) and (@ad<"20011221" @rlad<"20011221") and (mathematic$4 calculat$3 compute computing) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:51
L10	26	unauthoriz$5 same (identif$4 specif$4 id name aspect) adj3 (system node terminal machine device unit station element component) same password with (id username userid) and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2005/12/07 14:51
L11	26	10 not 9	US-PGPUB; USPAT	OR	ON	2005/12/07 14:51

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1712	(id identif$4) with (client remote user subscriber customer) with (aspect character$5 manufactur$3 hardware apparatus) and authoriz$5 and unauthoriz$5 and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2005/12/07 10:52
L2	5	(id identif$4) with (client remote user subscriber customer) with (aspect character$5 manufactur$3 hardware apparatus) and authoriz$5 and unauthoriz$5 and (@ad<"20011221" @rlad<"20011221") and (calculat$3 cimputing math mathematic$2) with password with (id dientifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 11:17
L3	3	(id identif$4) with (client remote user subscriber customer) with (aspect criteria specif$5 parameter character$5) near5 (system node unit device component object manufactur$3 hardware apparatus) and authoriz$5 and unauthoriz$5 and (@ad<"20011221" @rlad<"20011221") and (calculat$3 cimputing math mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:04
L5	17	(id identif$4 check$3 discover$3 detect$3 verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3) same authoriz$5 and ("not" adj3 authoriz$5 unauthoriz$5) and (client remote user subscriber customer) with (aspect criteria specif$5 parameter character$5) with (system node unit device component object manufactur$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat$3 computing math logic mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:10

L6	1	(id identif$4 check$3 discover$3 detect$3 verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3) same authoriz$5 and ("not" adj3 authoriz$5 unauthoriz$5) with (client remote user subscriber customer) with (aspect criteria specif$5 parameter character$5) with (system node unit device component object manufactur$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat$3 computing math logic mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:11
L7	1	(id identif$4 check$3 discover$3 detect$3 verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3) same ("not" adj3 authoriz$5 unauthoriz$5) with (client remote user subscriber customer) with (aspect criteria specif$5 parameter character$5) with (system node unit device component object manufactur$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat$3 computing math logic mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:12
L8	10	(id identif$4 check$3 discover$3 detect$3 verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3) same ("not" adj3 authoriz$5 unauthoriz$5) with (client remote user subscriber customer) with (system node unit device component object manufactur$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat$3 computing math logic mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:15

L9		11	(identif$4 discover$3 detect$3 design$3 elect verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3) with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4) with (client remote user subscriber customer) with (system node unit device component object manufactur$3 hardware apparatus terminal station) and (@ad<"20011221" @rlad<"20011221") and (calculat$3 computing math logic mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:21
L10		6	(identif$4 discover$3 detect$3 design$3 elect verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur$3 hardware apparatus terminal station)with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4) and (@ad<"20011221" @rlad<"20011221") and (calculat$3 computing math logic mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:23
L11		6	(identif$4 discover$3 detect$3 design$3 elect verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3 isolat$3 disconnect$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur$3 hardware apparatus terminal station)with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4) and (@ad<"20011221" @rlad<"20011221") and (calculat$3 computing math logic mathematic$2) with password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:24

L12	643	(identif$4 discover$3 detect$3 design$3 elect verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3 isolat$3 disconnect$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur$3 hardware apparatus terminal station)with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4) and (@ad<"20011221" @rlad<"20011221") and password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:24
L13	26	(identif$4 discover$3 detect$3 design$3 elect verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3 isolat$3 disconnect$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur$3 hardware apparatus terminal station)with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:28
L14	7	(identif$4 discover$3 detect$3 design$3 elect verif$4 monitor$3 secur$3 prevent$3 protect$3 filter$3 intercept$3 isolat$3 disconnect$3) with (client remote user subscriber customer) near (system node unit device component object manufactur$3 hardware apparatus terminal station)with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:31

L15	6	(identif$4 discover$3 detect$3 design$3 elect verif$4 exclud$3$3 secur$3 prevent$3 protect$3 filter$3 intercept$3 isolat$3 disconnect$3) with (client remote user subscriber customer) near (system node unit device component object manufactur$3 hardware apparatus terminal station) with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:39
L16	13	(identif$4 discover$3 detect$3 design$3 elect verif$4 exclud$3$3 secur$3 prevent$3 protect$3 filter$3 intercept$3 isolat$3 disconnect$3) with (client remote user subscriber customer asscoiat$2 correspon$ temp$5 hack$3 untru$3 attack$2) near (system node machine computer unit device component object manufactur$3 hardware apparatus terminal station) with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 13:03
L20	131	(identif$4 discover$3 detect$3 design$3 elect verif$4 exclud$3$3 secur$3 prevent$3 protect$3 filter$3 intercept$3 isolat$3 disconnect$3) with (client remote user subscriber customer) same (associat$2 correspon$ correlat$3 temper$5 hack$3 intru$4 attack$2) same (laptop wireless mobile system node machine computer unit device component object manufactur$3 hardware apparatus terminal station) with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4) same password with (id identifer username name userid)and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2005/12/07 13:29
L21	44	20 and (mathematic$2 calculat$3)	US-PGPUB; USPAT	OR	ON	2005/12/07 13:10

| L22 | 7 | (temper$5 hack$3 intru$4 attack$2) same (based associat$2 correspon$ correlat$3) near5 (laptop wireless mobile system node machine computer unit device component object manufactur$3 hardware apparatus terminal station) with ("not" adj3 authoriz$5 unauthoriz$5 attack$3 tamper$3 hack$3 intru$4) same password with (id identifer username name userid)and (@ad<"20011221" @rlad<"20011221") | US-PGPUB; USPAT | OR | ON | 2005/12/07 13:33 |